



 **LAPPSET**



The freedom to play

At the heart of a playground is a promise: The freedom to play without limits. We believe that this freedom actually begins long before the first swing, slide, or adventure. It begins with design.

Our modular system gives landscape architects and designers the freedom to shape spaces that are as unique as the children who will explore them. Spaces that adapt, invite, and include. Spaces that turn imagination into reality, piece by piece.

When design is free, play becomes limitless. And every child, of every ability and every background, finds a place where they too, can let loose.



| | |
|---------------------------------|----|
| Table of contents | |
| Without kids it's just a ground | 4 |
| Playful Nordic design | 6 |
| Inclusive user-experience | 10 |
| The sustainable option | 12 |
| Affordable tailoring | 16 |
| Prime Products | 18 |
| Climbing frames | 19 |
| Motor skills tracks | 20 |
| Play towers | 21 |
| Swings | 25 |
| Play houses | 26 |
| Slides | 27 |
| Play paths | 30 |
| Balancing | 30 |
| Accessories | 31 |
| Carousels | 32 |
| Tunnels | 32 |
| Sandboxes | 34 |
| Seesaws | 35 |
| Spring rockers | 38 |
| Playmats | 40 |



Without kids it's just a ground.



It's not the colours or the clever design that make a playground come alive. It's the child who sees a mountain where we see a slope, finds a new way up, and turns the space into something of their own.



Prime playground equipment is designed with every child in mind. It's made for children to grow and connect, each at their own ability, pace, and way of experiencing the world.

Balancing form, function, and fun.

Bold primary shapes, soft edges, and sculptural wooden forms. By blending the familiar Nordic design values of minimalism, functionality, and a connection to nature with a touch of joy and playfulness, we've created a design language that feels grounded, uplifting, and at home in any landscape.

Playful Nordic™ design

The Prime playground collection features a distinctive, design-protected language that blends creativity, functionality, and Nordic heritage into forms that stand the test of time.



1. Ewa Sandbox and Slide 2. Vilja Play Tower, detail

Playmats

Playmats invite crawling, rolling, sitting, jumping, and storytelling, helping more children join in and feel included. They expand play possibilities and let a child's imagination set the limits.

The colourful mats help guide movement around the play area, forming gentle routes and directions. They also improve accessibility for all users, including parents and caregivers who may use a wheelchair.

Always sold together with Prime playground equipment.



Play is a right, not a reward.

Inclusivity begins with design. Every child deserves the chance to move, discover, and connect with others, regardless of ability. Lappset’s inclusive design approach ensures that outdoor spaces and playgrounds welcome everyone through thoughtful design and measurable accessibility.



Design philosophy

Inclusive environments make play better for everyone. At Lappset, inclusivity is one of our key principles. We design playgrounds that welcome children with a wide range of needs, from physical and sensory differences to social and developmental challenges, so that every child can join in.


People-first at every stage

We don’t design only for children, but also for the adults and caregivers who are part of the experience. Prime playgrounds include accessible benches, spaces for all ages and abilities, and features that make it possible for parents with disabilities to join in play with their children.

Positive impacts

Inclusive outdoor spaces help everyone feel welcome, capable, and safe. By supporting both social equity and wellbeing, they also reduce frustration and lower the risk of damage or vandalism.





The sustainable option

Smaller footprint, more footsteps.

At Lappset we are playful about many things, but serious about sustainability. We use renewable Nordic pine, electricity from renewable sources, and long-lasting design to leave a lighter footprint for future generations.

Every
Prime
playground
product
comes with
transparent
carbon
footprint
data.

Renewable wood

The core of our climate work is the material we use. Wood is renewable, carbon-binding and has a low footprint, making it ideal for playground equipment.

Always locally sourced

Our wood comes from nearby. We use PEFC-certified Nordic pine from sustainably managed Finnish forests.

Wood versus other materials


Wood has many benefits, from durability to recyclability. Furthermore compared to metal or plastic, wood requires less energy and water to process, making it the more sustainable choice.

Inclusivity ratings

True inclusivity is about more than ramps and wheelchair access. It also means considering cognitive and sensory needs. The Prime playground collection applies inclusivity ratings developed with the Finnish Paralympic Committee. These ratings look at mobility, vision, hearing, speech, intellectual abilities and motor coordination. The idea is simple: universal design should support different ways of moving, sensing, and interacting.

Maximilian Play Tower

| | |
|----------------------------|---------|
| Product | F24102M |
| Age group | 4+ |
| Users | 24 |
| Height | 4640 mm |
| Length | 7380 mm |
| Width | 7650 mm |
| Falling space | 83,0 m² |
| Fall height | 2400 mm |
| Impact area | 65,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 845,67 |



Product carbon footprint

Every product in the Prime playground collection comes with transparent carbon footprint data, helping you understand the environmental impact of your choices. This reflects our commitment to clarity and responsibility, ensuring that the materials we use and the way we produce our equipment are as thoughtful as the way it's used.

The Global Warming Potential (GWP), also referred to as the carbon footprint, measures a product's contribution to climate change.

The reported carbon footprint results are self-declared in accordance with ISO 14021 and calculated using ISO 14040 and ISO 14044 life cycle assessment standards. The data is structured following the ISO 21930 / EN 15804+A2 framework, ensuring consistency with recognised product reporting methods for construction and outdoor products.

Accessibility rating

These categories show how accessible the play product is for people with impairments.

Age group fit

The physical challenge rating helps match products to different skill levels. Both low and high challenges are needed for a playground that suits all children.

Inclusivity rating

These categories highlight the product's value in inclusion: how well it enables children with impairments to join in play.

Tip!

Always consider artificial turf for impact protection, and choose a colour combination with strong contrast, such as Ember with natural wood or Bloom with brown wood.

Heartbeat rate

These categories assess the product's broader value, supporting not only physical activity but also social and emotional development.

Cradle-to-gate in a nutshell

Cradle-to-gate refers to the complete production process—from raw material extraction to the moment the finished product leaves the factory gates.

This includes:

- A1: Raw materials and sourcing
- A2: Transportation to manufacturing
- A3: Product manufacturing

It excludes transport to site, installation, use, and end-of-life stages, offering a focused view of the impact we can directly control and improve.

Included with every product

Each product in this collection comes with a carbon footprint summary. This enables:

- Sustainable procurement decisions
- Easy product comparison
- Alignment with your ESG and carbon goals

Whether you're planning a playground, park, or public space, this information supports more conscious and responsible choices.

Example: Maximilian Play Tower

GWP-total (A1–A3): 845,67 kg CO₂e
GWP-fossil (A1–A3): 2297,35 kg CO₂e
Declared unit mass: ~ 1361,859 kg

These figures reflect emissions from the cradle-to-gate stages of the product's life.

What does 845,67 kg CO₂e mean?*

- 6204,5 km of driving a car
- 1,4 times Helsinki–München roundtrip in an airplane
- 108 times warming up a sauna in Finland

Unique for you, affordable for all.

Not many unique things in this world are affordable. Our new modular playground collection changes that, offering tailored designs for every playground, big or small.



1. Play towers, Nokia



Ember



Bloom



Meadow



Mist



Snow

Colour themes

Prime playground equipment is available in five fresh colour combinations that blend naturally into different surroundings. Each palette is designed to complement the natural warmth of Nordic pine.

Each colour theme is available with three wooden post colour options: natural tone, premium brown, and platinum grey. The visualisations shown feature the natural tone.



Prime playground equipment



Official Partner of
Finnish Paralympic
Committee

Prime is modular playground equipment designed for modern needs. Flexible, durable, and inclusive by design, it adapts to different environments and supports all abilities. It's a smart, long-term choice for communities that value people, places, and the planet.

Climbing frames



Angelica Climbing Frame

| | |
|----------------------------|---------------------|
| Product | F24300M |
| Age group | 3+ |
| Users | 10 |
| Height | 2110 mm |
| Length | 1850 mm |
| Width | 1690 mm |
| Falling space | 17,0 m ² |
| Fall height | 1450 mm |
| Impact area | 17,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 170,72 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 67% | 67% | 60% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 67% | 78% | 67% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 89% | 61% |
| Physical | Emotional |



Saga Climbing Frame

| | |
|----------------------------|---------------------|
| Product | F24301M |
| Age group | 3+ |
| Users | 16 |
| Height | 3990 mm |
| Length | 4090 mm |
| Width | 5050 mm |
| Falling space | 46,0 m ² |
| Fall height | 2000 mm |
| Impact area | 46,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 440,99 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 53% | 67% | 80% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 43% | 48% | 67% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 89% | 56% |
| Physical | Emotional |



Kaj Climbing Frame

| | |
|----------------------------|---------------------|
| Product | F24302M |
| Age group | 3+ |
| Users | 5 |
| Height | 2330 mm |
| Length | 1620 mm |
| Width | 1620 mm |
| Falling space | 20,5 m ² |
| Fall height | 2330 mm |
| Impact area | 20,5 m ² |
| GWP-total, A1-A3 (kg CO2e) | 137,75 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 40% | 52% | 53% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 50% | 48% | 56% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 78% | 33% |
| Physical | Emotional |



Kalle Climbing Frame

| | |
|----------------------------|---------------------|
| Product | F24303M |
| Age group | 4+ |
| Users | 4 |
| Height | 3810 mm |
| Length | 1290 mm |
| Width | 1410 mm |
| Falling space | 21,0 m ² |
| Fall height | 1970 mm |
| Impact area | 21,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 168,96 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 43% | 52% | 67% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 50% | 63% | 61% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 78% | 44% |
| Physical | Emotional |



Klara Climbing Frame

Product F24304M
Age group 4+
Users 5
Height 2070 mm
Length 890 mm
Width 890 mm
Falling space 18,0 m²
Fall height 2060 mm
Impact area 18,0 m²
GWP-total,
A1-A3 (kg CO₂e) 55,15

Accessibility rate

27% 37% 40%
Body Mind Sensory

Inclusivity rate

43% 41% 61%
Body Mind Sensory

Heartbeat rate

72% 33%
Physical Emotional



Eino Climbing Frame

Product F24201M
Age group 3+
Users 17
Height 3990 mm
Length 5050 mm
Width 4090 mm
Falling space 49,0 m²
Fall height 2000 mm
Impact area 49,0 m²
GWP-total,
A1-A3 (kg CO₂e) 622,84

Accessibility rate

63% 78% 87%
Body Mind Sensory

Inclusivity rate

60% 48% 67%
Body Mind Sensory

Heartbeat rate

89% 56%
Physical Emotional

Motor skills tracks



Siiri Motor Skills Track

Product F24200M
Age group 1+
Users 24
Height 4510 mm
Length 7930 mm
Width 9670 mm
Falling space 82,0 m²
Fall height 1970 mm
Impact area 82,0 m²
GWP-total,
A1-A3 (kg CO₂e) 1113,79

Accessibility rate

77% 70% 73%
Body Mind Sensory

Inclusivity rate

63% 67% 56%
Body Mind Sensory

Heartbeat rate

89% 72%
Physical Emotional



Eeli Motor Skills Track

Product F24202M
Age group 4+
Users 26
Height 4310 mm
Length 7040 mm
Width 5100 mm
Falling space 65,0 m²
Fall height 2550 mm
Impact area 65,0 m²
GWP-total,
A1-A3 (kg CO₂e) 808,68

Accessibility rate

60% 44% 80%
Body Mind Sensory


Inclusivity rate

57% 52% 50%
Body Mind Sensory

Heartbeat rate

89% 44%
Physical Emotional

Play towers



Enni Toddler Play Tower

Product F24101M
Age group 1+
Users 4
Height 2360 mm
Length 2280 mm
Width 1260 mm
Falling space 15,0 m²
Fall height 580 mm
Impact area 6,0 m²
GWP-total,
A1-A3 (kg CO₂e) 227

Accessibility rate

73% 70% 60%
Body Mind Sensory

Inclusivity rate

73% 67% 67%
Body Mind Sensory

Heartbeat rate

50% 50%
Physical Emotional



Vilja Play Tower

Product F24110M
Age group 1+
Users 18
Height 4070 mm
Length 6030 mm
Width 4540 mm
Falling space 58,0 m²
Fall height 1970 mm
Impact area 51,0 m²
GWP-total,
A1-A3 (kg CO₂e) 713,34

Accessibility rate

73% 81% 67%
Body Mind Sensory

Inclusivity rate

77% 74% 67%
Body Mind Sensory

Heartbeat rate

78% 61%
Physical Emotional



Maximilian Play Tower

Product F24102M
Age group 4+
Users 24
Height 4640 mm
Length 7380 mm
Width 7650 mm
Falling space 83,0 m²
Fall height 2400 mm
Impact area 65,0 m²
GWP-total,
A1-A3 (kg CO₂e) 845,67

Accessibility rate

83% 85% 87%
Body Mind Sensory

Inclusivity rate

83% 81% 61%
Body Mind Sensory

Heartbeat rate

94% 100%
Physical Emotional



Lenne Play Tower

Product F24100M
Age group 1+
Users 7
Height 3670 mm
Length 3010 mm
Width 2810 mm
Falling space 25,0 m²
Fall height 1470 mm
Impact area 24,0 m²
GWP-total,
A1-A3 (kg CO₂e) 424,21

Accessibility rate

53% 63% 93%
Body Mind Sensory

Inclusivity rate

67% 63% 50%
Body Mind Sensory

Heartbeat rate

72% 61%
Physical Emotional



Swings



Lilli Play Tower

| | |
|----------------------------|---------------------|
| Product | F24103M |
| Age group | 1+ |
| Users | 7 |
| Height | 3940 mm |
| Length | 3500 mm |
| Width | 2490 mm |
| Falling space | 25,0 m ² |
| Fall height | 1470 mm |
| Impact area | 24,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 411,04 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 48% | 60% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 40% | 48% | 56% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 61% | |
| Physical | Emotional | |



Jin High Play Tower

| | |
|----------------------------|---------------------|
| Product | F24050M |
| Age group | 2+ |
| Users | 30 |
| Height | 6110 mm |
| Length | 5120 mm |
| Width | 5580 mm |
| Falling space | 43,0 m ² |
| Fall height | 1970 mm |
| Impact area | 43,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 1680,7 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 70% | 59% | 53% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 70% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 83% | 94% | |
| Physical | Emotional | |



Jan High Play Tower

| | |
|----------------------------|---------------------|
| Product | F24051M |
| Age group | 2+ |
| Users | 36 |
| Height | 8210 mm |
| Length | 6340 mm |
| Width | 6900 mm |
| Falling space | 50,0 m ² |
| Fall height | 1970 mm |
| Impact area | 50,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 3876,70 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 77% | 70% | 53% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 70% | 56% | 56% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 83% | 94% | |
| Physical | Emotional | |



Pelle Swing Frame Low

| | |
|----------------------------|---------------------|
| Product | F24411M |
| Age group | 1+ |
| Users | 2 |
| Height | 2310 mm |
| Length | 1450 mm |
| Width | 3720 mm |
| Falling space | 23,0 m ² |
| Fall height | 1200 mm |
| Impact area | 23,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 169 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 43% | 70% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 67% | 67% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 39% | |
| Physical | Emotional | |



Iivo Swing Frame with Inclusive Seat

| | |
|----------------------------|---------------------|
| Product | F24415M |
| Age group | 1+ |
| Users | 4 |
| Height | 2880 mm |
| Length | 1770 mm |
| Width | 3930 mm |
| Falling space | 21,1 m ² |
| Fall height | 1400 mm |
| Impact area | 21,1 m ² |
| GWP-total, A1-A3 (kg CO2e) | 231 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 80% | 67% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 67% | 70% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 33% | |
| Physical | Emotional | |



Ilmari Swing Frame with Birdnest Seat

| | |
|----------------------------|---------------------|
| Product | F24414M |
| Age group | 1+ |
| Users | 4 |
| Height | 2740 mm |
| Length | 1680 mm |
| Width | 3900 mm |
| Falling space | 21,0 m ² |
| Fall height | 1400 mm |
| Impact area | 21,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 500 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 70% | 70% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 77% | 74% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 50% | |
| Physical | Emotional | |



Heinä Swing Frame

| | |
|----------------------------|---------------------|
| Product | F24412M |
| Age group | 4+ |
| Users | 2 |
| Height | 2720 mm |
| Length | 3910 mm |
| Width | 1750 mm |
| Falling space | 25,5 m ² |
| Fall height | 1400 mm |
| Impact area | 25,5 m ² |
| GWP-total, A1-A3 (kg CO2e) | 190,83 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 43% | 70% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 67% | 67% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 39% | |
| Physical | Emotional | |



Peppi Swing Frame Low

| | |
|-------------------------------|---------------------|
| Product | F24410M |
| Age group | 1+ |
| Users | 1 |
| Height | 2340 mm |
| Length | 1480 mm |
| Width | 2500 mm |
| Falling space | 14,0 m ² |
| Fall height | 1200 mm |
| Impact area | 14,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 171,51 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 43% | 67% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 63% | 67% | 56% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 28% | |
| Physical | Emotional | |



Krister Play House

| | |
|-------------------------------|---------------------|
| Product | F24704M |
| Age group | 1+ |
| Users | 10 |
| Height | 2000 mm |
| Length | 2200 mm |
| Width | 1820 mm |
| Falling space | 19,7 m ² |
| Fall height | 560 mm |
| Impact area | 0,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 304,84 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 80% | 80% | 89% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 97% | 93% | 78% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 39% | 78% | |
| Physical | Emotional | |



Eero Swing Frame for Three

| | |
|-------------------------------|---------------------|
| Product | F24413M |
| Age group | 1+ |
| Users | 3 |
| Height | 2340 mm |
| Length | 5640 mm |
| Width | 1500 mm |
| Falling space | 39,0 m ² |
| Fall height | 1200 mm |
| Impact area | 39,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 294,29 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 43% | 70% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 67% | 67% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 39% | |
| Physical | Emotional | |



Kajsa Play House

| | |
|-------------------------------|---------------------|
| Product | F24701M |
| Age group | 1+ |
| Users | 7 |
| Height | 3440 mm |
| Length | 2880 mm |
| Width | 1900 mm |
| Falling space | 21,0 m ² |
| Fall height | 1480 mm |
| Impact area | 20,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 281,05 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 70% | 77% | 83% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 87% | 81% | 78% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 100% | |
| Physical | Emotional | |

Play houses


Slides



Astrid Play House

| | |
|-------------------------------|---------------------|
| Product | F24705M |
| Age group | 1+ |
| Users | 5 |
| Height | 3510 mm |
| Length | 2210 mm |
| Width | 1820 mm |
| Falling space | 17,0 m ² |
| Fall height | 980 mm |
| Impact area | 14,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 224,38 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 87% | 74% | 87% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 67% | 89% | 89% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 50% | 83% | |
| Physical | Emotional | |



Juha Toddler Play House

| | |
|-------------------------------|--------------------|
| Product | F24706M |
| Age group | 1+ |
| Users | 6 |
| Height | 1450 mm |
| Length | 1690 mm |
| Width | 1690 mm |
| Falling space | 0,0 m ² |
| Fall height | 0 mm |
| Impact area | 0,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 197,15 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 67% | 70% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 80% | 74% | 56% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 11% | 89% | |
| Physical | Emotional | |



Eemeli Slide

| | |
|-------------------------------|---------------------|
| Product | F24010M |
| Age group | 1+ |
| Users | 3 |
| Height | 3010 mm |
| Length | 2620 mm |
| Width | 3010 mm |
| Falling space | 18,0 m ² |
| Fall height | 1000 mm |
| Impact area | 16,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 115 |


| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 27% | 48% | 73% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 27% | 63% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 39% | |
| Physical | Emotional | |




Helvi Slide

| | |
|-------------------------------|---------------------|
| Product | F24011M |
| Age group | 1+ |
| Users | 3 |
| Height | 3730 mm |
| Length | 4160 mm |
| Width | 1100 mm |
| Falling space | 24,0 m ² |
| Fall height | 1470 mm |
| Impact area | 22,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 126,78 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 50% | 59% | 87% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 63% | 70% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 50% | 61% | |
| Physical | Emotional | |



Play paths




Hemmo Play Path

| | |
|----------------------------|---------|
| Product | F24909M |
| Age group | 2+ |
| Users | 2 |
| Height | 260 mm |
| Length | 1740 mm |
| Width | 920 mm |
| Falling space | 17,0 m² |
| Fall height | 260 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 35,17 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 73% | 52% | 53% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 70% | 67% | 67% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 61% | 56% |
| Physical | Emotional |



Kuisma Play Path

| | |
|----------------------------|---------|
| Product | F24907M |
| Age group | 2+ |
| Users | 3 |
| Height | 330 mm |
| Length | 2530 mm |
| Width | 920 mm |
| Falling space | 20,0 m² |
| Fall height | 330 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 46,28 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 73% | 52% | 53% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 70% | 67% | 67% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 61% | 56% |
| Physical | Emotional |



Silja Play Path


| | |
|----------------------------|---------|
| Product | F24908M |
| Age group | 2+ |
| Users | 4 |
| Height | 590 mm |
| Length | 3330 mm |
| Width | 920 mm |
| Falling space | 23,0 m² |
| Fall height | 630 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 31,57 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 73% | 52% | 53% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 70% | 67% | 67% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 61% | 56% |
| Physical | Emotional |

Balancing




Ärtan Balancing Steps

| | |
|----------------------------|---------|
| Product | F24801M |
| Age group | 3+ |
| Users | 3 |
| Height | 550 mm |
| Length | 1330 mm |
| Width | 350 mm |
| Falling space | 12,0 m² |
| Fall height | 550 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 31,61 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 43% | 52% | 47% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 77% | 70% | 67% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 67% | 50% |
| Physical | Emotional |




Erna Balancing Track

| | |
|----------------------------|---------|
| Product | F24802M |
| Age group | 2+ |
| Users | 5 |
| Height | 570 mm |
| Length | 3400 mm |
| Width | 1000 mm |
| Falling space | 20,0 m² |
| Fall height | 570 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 81,55 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 47% | 52% | 47% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 77% | 70% | 67% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 67% | 50% |
| Physical | Emotional |



Lovis Balance Net


| | |
|----------------------------|---------|
| Product | F24803M |
| Age group | 2+ |
| Users | 6 |
| Height | 2530 mm |
| Length | 4100 mm |
| Width | 2260 mm |
| Falling space | 28,0 m² |
| Fall height | 580 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 183,72 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 70% | 63% | 67% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 50% | 74% | 72% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 72% | 67% |
| Physical | Emotional |

Accessories



Markus Gate

| | |
|----------------------------|---------|
| Product | F24905M |
| Age group | 0+ |
| Users | N/A |
| Height | 2960 mm |
| Length | 210 mm |
| Width | 2800 mm |
| Falling space | 0,0 m² |
| Fall height | 0 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | -21,45 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 100% | 80% | 50% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 100% | 80% | 50% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 0% | 10% |
| Physical | Emotional |



Tero Park Sign


| | |
|----------------------------|---------|
| Product | F24906M |
| Age group | 0+ |
| Users | N/A |
| Height | 1670 mm |
| Length | 200 mm |
| Width | 1000 mm |
| Falling space | 0,0 m² |
| Fall height | 0 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 183,12 |

| | | |
|--------------------|------|---------|
| Accessibility rate | | |
| 100% | 80% | 50% |
| Body | Mind | Sensory |

| | | |
|------------------|------|---------|
| Inclusivity rate | | |
| 100% | 80% | 50% |
| Body | Mind | Sensory |

| | |
|----------------|-----------|
| Heartbeat rate | |
| 0% | 10% |
| Physical | Emotional |


Carousels



Bert Carousel

| | |
|----------------------------|---------|
| Product | F24030M |
| Age group | 2+ |
| Users | 4 |
| Height | 1030 mm |
| Length | 780 mm |
| Width | 780 mm |
| Falling space | 18,0 m² |
| Fall height | 1000 mm |
| Impact area | 18,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 89,7 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 67% | 56% | 60% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 70% | 81% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 72% | 39% | |
| Physical | Emotional | |



Vera Carousel

| | |
|----------------------------|---------|
| Product | F24031M |
| Age group | 3+ |
| Users | 6 |
| Height | 770 mm |
| Length | 1200 mm |
| Width | 1200 mm |
| Falling space | 21,2 m² |
| Fall height | 1000 mm |
| Impact area | 21,2 m² |
| GWP-total, A1-A3 (kg CO2e) | 91,9 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 73% | 63% | 67% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 73% | 81% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 72% | 44% | |
| Physical | Emotional | |

Tunnels



Turpo Play Tunnel

| | |
|----------------------------|---------|
| Product | F24702M |
| Age group | 1+ |
| Users | 2 |
| Height | 1500 mm |
| Length | 1590 mm |
| Width | 1305 mm |
| Falling space | 15,1 m² |
| Fall height | 1030 mm |
| Impact area | 15,1 m² |
| GWP-total, A1-A3 (kg CO2e) | 258,5 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 67% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 67% | 67% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 39% | |
| Physical | Emotional | |



Urho Play Tunnel

| | |
|----------------------------|---------|
| Product | F24703M |
| Age group | 1+ |
| Users | 4 |
| Height | 1500 mm |
| Length | 3080 mm |
| Width | 1620 mm |
| Falling space | 20,4 m² |
| Fall height | 1030 mm |
| Impact area | 20,4 m² |
| GWP-total, A1-A3 (kg CO2e) | 329 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 63% | 67% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 57% | 67% | 50% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 39% | |
| Physical | Emotional | |



Sandboxes



Anni Sandbox M

| | |
|----------------------------|---------|
| Product | F24602M |
| Age group | 1+ |
| Users | 10 |
| Height | 2160 mm |
| Length | 2490 mm |
| Width | 2220 mm |
| Falling space | 20,8 m² |
| Fall height | 740 mm |
| Impact area | 8,2 m² |
| GWP-total, A1-A3 (kg CO2e) | -34,8 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 60% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 80% | 67% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 33% | 78% | |
| Physical | Emotional | |



Iiro Sandbox S

| | |
|----------------------------|---------|
| Product | F24600M |
| Age group | 1+ |
| Users | 8 |
| Height | 460 mm |
| Length | 1820 mm |
| Width | 1830 mm |
| Falling space | 20,0 m² |
| Fall height | 460 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 60,4 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 53% | 63% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 93% | 89% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 67% | |
| Physical | Emotional | |



Ewa Sandbox and Slide

| | |
|----------------------------|---------|
| Product | F24605M |
| Age group | 1+ |
| Users | 6 |
| Height | 3270 mm |
| Length | 3200 mm |
| Width | 2750 mm |
| Falling space | 22,0 m² |
| Fall height | 790 mm |
| Impact area | 14,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 199,71 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 73% | 70% | 78% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 83% | 85% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 56% | |
| Physical | Emotional | |



Wilhelm Sandbox L

| | |
|----------------------------|---------|
| Product | F24604M |
| Age group | 1+ |
| Users | 12 |
| Height | 2840 mm |
| Length | 4910 mm |
| Width | 4110 mm |
| Falling space | 39,0 m² |
| Fall height | 820 mm |
| Impact area | 18,0 m² |
| GWP-total, A1-A3 (kg CO2e) | 134 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 97% | 70% | 93% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 97% | 89% | 83% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 72% | |
| Physical | Emotional | |



Aino Sandbox M

| | |
|----------------------------|---------|
| Product | F24601M |
| Age group | 1+ |
| Users | 10 |
| Height | 460 mm |
| Length | 2670 mm |
| Width | 2630 mm |
| Falling space | 28,0 m² |
| Fall height | 460 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | -82,41 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 57% | 63% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 93% | 89% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 67% | |
| Physical | Emotional | |



Jalmari Sandbox XL

| | |
|----------------------------|---------|
| Product | F24603M |
| Age group | 1+ |
| Users | 10 |
| Height | 460 mm |
| Length | 5050 mm |
| Width | 5050 mm |
| Falling space | 28,0 m² |
| Fall height | 460 mm |
| Impact area | 0,0 m² |
| GWP-total, A1-A3 (kg CO2e) | -95,24 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 57% | 63% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 97% | 89% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 67% | |
| Physical | Emotional | |

Seesaws



Karin Seesaw

| | |
|----------------------------|---------|
| Product | F24032M |
| Age group | 1+ |
| Users | 2 |
| Height | 716 mm |
| Length | 1849 mm |
| Width | 330 mm |
| Falling space | 8,3 m² |
| Fall height | 590 mm |
| Impact area | 8,3 m² |
| GWP-total, A1-A3 (kg CO2e) | 86,02 |


| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 37% | 59% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 50% | 85% | 83% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 61% | |
| Physical | Emotional | |



Sara Seesaw

| | |
|----------------------------|---------|
| Product | F24033M |
| Age group | 3+ |
| Users | 2 |
| Height | 770 mm |
| Length | 3620 mm |
| Width | 210 mm |
| Falling space | 14,5 m² |
| Fall height | 840 mm |
| Impact area | 11,5 m² |
| GWP-total, A1-A3 (kg CO2e) | 174,96 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 37% | 59% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 50% | 85% | 83% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 61% | 61% | |
| Physical | Emotional | |



Spring rockers



| | |
|--------------------------------|--------------------|
| Piko-Piko Spring Rocker | |
| Product | F24021M |
| Age group | 1+ |
| Users | 1 |
| Height | 730 mm |
| Length | 667 mm |
| Width | 400 mm |
| Falling space | 7,0 m ² |
| Fall height | 600 mm |
| Impact area | 7,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 80,6 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 40% | 52% | 67% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 67% | 72% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 56% | 33% | |
| Physical | Emotional | |



| | |
|----------------------------|--------------------|
| Coco Spring Rocker | |
| Product | F24503M |
| Age group | 2+ |
| Users | 1 |
| Height | 800 mm |
| Length | 920 mm |
| Width | 590 mm |
| Falling space | 6,4 m ² |
| Fall height | 600 mm |
| Impact area | 6,7 m ² |
| GWP-total, A1-A3 (kg CO2e) | 63,43 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 59% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 39% | |
| Physical | Emotional | |



| | |
|----------------------------|--------------------|
| Auto Spring Rocker | |
| Product | F24022M |
| Age group | 1+ |
| Users | 1 |
| Height | 830 mm |
| Length | 755 mm |
| Width | 394 mm |
| Falling space | 7,0 m ² |
| Fall height | 600 mm |
| Impact area | 7,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 100,27 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 59% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 39% | |
| Physical | Emotional | |



| | |
|----------------------------|--------------------|
| Dino Spring Rocker | |
| Product | F24504M |
| Age group | 2+ |
| Users | 1 |
| Height | 820 mm |
| Length | 890 mm |
| Width | 590 mm |
| Falling space | 6,4 m ² |
| Fall height | 600 mm |
| Impact area | 6,4 m ² |
| GWP-total, A1-A3 (kg CO2e) | 60,7 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 43% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 59% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 39% | |
| Physical | Emotional | |




| | |
|----------------------------|--------------------|
| Lama Spring Rocker | |
| Product | F24020M |
| Age group | 1+ |
| Users | 2 |
| Height | 813 mm |
| Length | 625 mm |
| Width | 394 mm |
| Falling space | 7,0 m ² |
| Fall height | 600 mm |
| Impact area | 7,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 99,59 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 59% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 39% | |
| Physical | Emotional | |




| | |
|----------------------------|--------------------|
| Fina Spring Rocker | |
| Product | F24501M |
| Age group | 2+ |
| Users | 1 |
| Height | 820 mm |
| Length | 800 mm |
| Width | 590 mm |
| Falling space | 6,4 m ² |
| Fall height | 600 mm |
| Impact area | 6,4 m ² |
| GWP-total, A1-A3 (kg CO2e) | 60 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 59% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 39% | |
| Physical | Emotional | |




| | |
|-----------------------------------|--------------------|
| Vene Spring Rocker for Two | |
| Product | F24023M |
| Age group | 2+ |
| Users | 2 |
| Height | 896 mm |
| Length | 771 mm |
| Width | 730 mm |
| Falling space | 8,5 m ² |
| Fall height | 600 mm |
| Impact area | 8,5 m ² |
| GWP-total, A1-A3 (kg CO2e) | 155,51 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 57% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 60% | 74% | 67% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 56% | |
| Physical | Emotional | |



| | |
|----------------------------|--------------------|
| Nelli Spring Rocker | |
| Product | F24502M |
| Age group | 2+ |
| Users | 1 |
| Height | 800 mm |
| Length | 1020 mm |
| Width | 590 mm |
| Falling space | 7,0 m ² |
| Fall height | 600 mm |
| Impact area | 7,0 m ² |
| GWP-total, A1-A3 (kg CO2e) | 61,8 |

| | | |
|--------------------|-----------|---------|
| Accessibility rate | | |
| 47% | 70% | 80% |
| Body | Mind | Sensory |
| Inclusivity rate | | |
| 53% | 59% | 61% |
| Body | Mind | Sensory |
| Heartbeat rate | | |
| 44% | 39% | |
| Physical | Emotional | |



Playmats



Path Spiral Pond
 Product 971520
 Diameter Ø 2000 mm



Path Spiral Stream
 Product 971521
 Diameter Ø 2000 mm



Path Curve L Latte
 Product 971522
 Length 1000 mm
 Width 1000 mm



Path Curve L Stream
 Product 971523
 Length 1000 mm
 Width 1000 mm



Path Curve M Latte
 Product 971524
 Length 800 mm
 Width 350 mm



Path Curve M Stream
 Product 971525
 Length 800 mm
 Width 350 mm



Path M Latte
 Product 971526
 Length 600 mm
 Width 200 mm



Path M Stream
 Product 971527
 Length 600 mm
 Width 200 mm



Path Dot Latte
 Product 971528
 Diameter Ø 200 mm



Path Dot Light Blue
 Product 971529
 Diameter Ø 200 mm



Path Dot White
 Product 971530
 Diameter Ø 200 mm



Path Dot Blue
 Product 971531
 Diameter Ø 200 mm



Play Dot Left handprint Latte

Product 971532
Diameter Ø 200 mm



Play Dot Right handprint Latte

Product 971533
Diameter Ø 200 mm



Play Dot Left footprint Latte

Product 971534
Diameter Ø 200 mm



Platform Tri M Latte

Product 971544
Length 750 mm
Width 800 mm



Path Tri S Latte

Product 971545
Length 340 mm
Width 380 mm



Path Tri S Sand

Product 971546
Length 340 mm
Width 380 mm



Play Dot Right footprint Latte

Product 971535
Diameter Ø 200 mm



Play Dot Angry Face White

Product 971536
Diameter Ø 200 mm



Play Dot Sad Face Latte

Product 971537
Diameter Ø 200 mm



Path Square S Latte

Product 971547
Length 360 mm
Width 360 mm



Path Square S Sand

Product 971548
Length 360 mm
Width 360 mm



Jumping Wave Ocean

Product 971549
Length 2500 mm
Width 1000 mm



Play Dot Neutral Face White

Product 971538
Diameter Ø 200 mm



Play Dot Smile Face Latte

Product 971539
Diameter Ø 200 mm



Play Dot Happy Face White

Product 971540
Diameter Ø 200 mm



Jumping Wave Meadow

Product 971550
Length 2500 mm
Width 1000 mm



Jumping Swing Meadow

Product 971551
Length 3200 mm
Width 1200 mm



Jumping Swing Ocean

Product 971552
Length 3200 mm
Width 1200 mm



Platform Square L Pond

Product 971541
Length 1000 mm
Width 1000 mm



Platform Square L Latte

Product 971542
Length 1000 mm
Width 1000 mm



Platform Tri M Pond

Product 971543
Length 750 mm
Width 800 mm



Jumping Swing Sand

Product 971553
Length 3200 mm
Width 1200 mm



Jumping Swing Rainbow

Product 971554
Length 3200 mm
Width 1200 mm



Jumping Tri Target Sand


Product 971555
Length 1400 mm
Width 1300 mm




Jumping Square Target Ocean
 Product 971556
 Length 1400 mm
 Width 1400 mm



Jumping Square Target Meadow
 Product 971557
 Length 1400 mm
 Width 1400 mm




Area Tornado Pond
 Product 971558
 Diameter Ø 2800 mm



Area Tornado Lava
 Product 971559
 Diameter Ø 2800 mm




Area Story Island
 Product 971560
 Diameter Ø 2800 mm



Area Story Stream
 Product 971561
 Diameter Ø 2800 mm



Area Story Lake
 Product 971562
 Diameter Ø 2000 mm



Area Story Bluehole
 Product 971564
 Diameter Ø 2000 mm



Area Story Sand
 Product 971563
 Diameter Ø 2000 mm



Without kids it's just a ground.